

# D-PCP DOLAN

PADEL COURTS PORTUGAL




2026



[www.padelcourtsportugal.com](http://www.padelcourtsportugal.com)



+353 86 071 6758



**mejor  
set**  
Nº1 PADEL COURTS

OFFICIAL FIP COURTS



INTERNATIONAL  
PADEL  
FEDERATION

L E D A P  
L E D A P



Yvonne Dolan      Antonio Doña

**D-PCP**

**mejorset**

INTERNATIONAL  
PADEL  
FEDERATION

**PREMIER  
PADEL**

**MejorSet** is a company dedicated to developing, manufacturing, installing, and maintaining Padel Courts since 2003.

With the main facilities located in a town of Alicante, Crevillente, **MejorSet** has become the official court of the International Padel Federation and **Premier Padel** and is present at the most representative international tournaments of the padel sector.

Already present in more than 40 countries and having built hundreds of padel clubs, in MejorSet we pursue the goal of continuing to grow the sport of padel by offering premium facilities and ensuring an excellent service in Ireland.

# Special Edition

## PREMIER PADEL

**The most premium Padel Court has arrived.**

A unique Full Panoramic court redesigned with Premier Padel colors and branding.

The court that ensures maximum visibility during the game, with an exclusive design of lamp post in the shape of a half padel racket, court numbering to offer the sensation of a limited edition and with the innovation of the Shock Lock system invented by MejorSet, especially for the improvement of the playability in tournaments.



**Winload:  
120 km/h**



### Designed for top projects

A Limited Edition with serial number, created for both indoor or outdoor projects, with the option to be primed for extreme outdoor conditions.



### Portable or fixed

This court model can be fixed or portable. The portable option allows the installation on other sports facilities.



### Anti-injury system

Covered mesh to create a safe playing arena and protect the glass.



### Laser cut technology

Designed to allow moisture egress and oxidation.

# FIP Official Court

## Highest standards and exclusive design

Designed to set the highest quality standards in the game and provide maximum visibility while maintaining a disruptive design with the FIP's official colours and logo.

### Features

- Court measurement 10x20m
- 12mm tempered glass
- Anti-injury folding mesh system
- Galvanized steel structure with QUALICOAT® paint coating.
- Lamp posts with a unique design for this model. 8 x 200W LED lighting of the latest generation.
- 10mm texturized artificial turf or 12mm monofilament for high temperature environments.
- Exclusive FIP and MejorSet logo on the structure, protectors and netting pole, as entrance trim.
- Exclusive Structure Color Blue RAL 5026



### Customization Options

- Turf color options
- Premium LED lighting

### Extra

- Two-coat pure epoxy primer for coastal and high-temperature environments
- Installation services
- Worldwide transportation and logistics services
- After sales service



Winload:  
144 km/h



OFFICIAL COURT



# Full Panoramic

**The Official Court used for the best tournaments of Premier Padel and FIP**

The Full Panoramic court, without corners (pillars), recognized as the best padel court due to the clean view it provides and the most avant-garde design.



**Winload:  
120 km/h**

## Features

- Court measurement 10x20m
- 12mm tempered glass
- Anti-injury folding mesh system
- Galvanized steel structure with QUALICOAT® paint coating.
- Latest generation LED lighting 8 x 200W
- Textured turf of 10mm, MONDO SuperCourt or Italgreen Padel Pro. Monofilament option available for heat environments.

## Customization Options

- Single padel court 6mx20m
- Light posts design (curve, straight or Z)
- Turf and structural elements colour options
- Included entry and net protectors personalized with clients logo
- Included entrance plate with MejorSet's logo

## Extra

- Two-coat pure epoxy primer for coastal and high-temperature environments
- LED lighting premium LED Project
- Installation services
- Global shipping and logistics services
- After-sales service

## Turf

The highest quality 10mm textured turf used in official tournaments, that ensures the best grip and playability.

## Structure

Galvanized steel and epoxy paint certified with QUALICOAT, in all the possible colors.

## Lighting

3 different options for the shape and personalization on the colors of the lights structure.

Choose between different spotlight models according to the light intensity required for your project.

## Glass and corners

12mm of tempered glass that provides total visibility and resistance to the most demanding game.



BEST FOR VISIBILITY

## Protection and covers

Includes net protectors and custom net post and official MejorSet logo entrance plate.



# Full Panoramic

# Panoramic RC10

## High performance and panoramic view

With corners added to the Full Panoramic version, it allows full customization with more color. It complies with the specifications of the International Padel Federation.



UNE-EN 1090



## Features

- Court measurement 10x20m
- 12mm tempered glass
- Anti-injury folding mesh system
- Galvanized steel structure with QUALICOAT® paint coating.
- Latest generation LED lighting 8 x 200W
- Textured turf of 10mm, MONDO SuperCourt or Italgreen Padel Pro. Monofilament option available for heat environments.



## Customization Options

- Single padel court 6mx20m
- Light posts design (curve, straight or Z)
- Turf and structural elements colour options
- Entry and net protectors personalized with clients logo
- Entrance plate with MejorSet's logo

## Extra

- Two-coat pure epoxy primer for coastal and high-temperature environments
- LED lighting premium LED Project
- Installation services
- Global shipping and logistics services
- After-sales service

## Turf

Textured or straight turf, 12 or 10mm, to guarantee a perfect bounce and foot grip.

## Structure

Galvanized steel with QUALICOAT certified epoxy paint, in all possible colors. Possibility of marine primer for coastal environments.

## Lighting

3 different options for the shape and personalization on the colors of the lights structure.

Choose between different spotlight models according to the light intensity required for your project.

## Glass and corners

12mm of tempered glass that provides total visibility and resistance to the most demanding game.

THE BEST VALUE FOR MONEY



Panoramic RC10

## Protection and covers

Option of customization in protectors and net post, and entrance plate.

# Painting and Priming

## Our Processes

### Paint your Structure

Up to two different personalized colours

### QUALICOAT- certified finish

The metallic elements are coated with a thermosetting polyester powder paint formulated with polyester resins. This QUALICOAT certified finish, in the customer's desired color, provides these elements with excellent resistance to corrosion and ultraviolet rays, as well as high resistance to mechanical impacts.



COATING

PRIMING

PRE-TREATMENT

FOUNDATION

### Double Coating

In coastal and salty environments, we treat the structure with an additional two-coat primer system of pure epoxy, which is coated with either a powder or liquid finish.

# Coated Steel

## Our Processes



### Material: Epoxy Coating

- MejorSet RC padel court structure is made of galvanised steel.
- It is coated with epoxy-polyester resin, applied via a powder coating process and baked in our ovens. This ensures durability and resistance to any coastal corrosion.

### Our Coating Process:

- Powder is applied to the metal pieces, then baked again in an oven to form a durable and uniform protective layer.
- This is superior to regular painting in terms of resistance, longevity, and finish.

### Medium - Risk Corrosion Zone:

- Near the coast but (not within 100m), salt fog driven by wind creates a small risk for our metal surfaces.
- To address this, additional protective measures is recommended for Ireland which is included by Dolan PCI in your quotation

### An Additional Protection Option (only if site is 100m to the coast) Marine Primer Treatment: C4

- Involves applying a cold galvanization base layer, followed by a marine primer for extra corrosion resistance.
- Cost: €3,400 per court (excl stainless steel screws €700)

# Lamp Variations


Choose the lamp that  
fits your court best





CURVED



ZETA



STRAIGHT




# MONDO NSF SHOT XN



Recommended for:  
Indoor Type Turf

Yarn Properties		Carpet Properties	
Yarn name:	SHOT XN	Pile height (ISO 2549):	10 mm (± 5%)
Linear density of yarn:	9.000 dtex (± 10%)	Stitch rate (ISO 1763):	17 tufts/dm
Yarn Composition:	100% POLYETHYLENE	Tuft density (ISO 1763):	35.700 tufts/m <sup>2</sup> (± 10%)
Yarn color:	Green, blue, Red	Tuft density:	571.200/m <sup>2</sup>
Filaments Type:	XNOVA TEXT M	Tufting pattern:	Linear tufting
Linear density of filaments:	1.125 dtex (± 10%)	Gauge:	3/16"
Thickness of filaments (FIFA method 25):	170 µm (± 10%)	Primary backing construction:	double layer of polypropylene
Structure of filaments:	curly monofilament	Secondary backing composition:	Polyurethane (PU)
Number of filaments:	8	Water Permeability (EN 12616):	500 mm/h (solo campi outdoor)
		Maximum roll size:	25 x 4 m
Carpet weight		Infill properties	
Pile weight (ISO 8543):	1.178 g/m <sup>2</sup> (± 10%)	Stabilizing Infill:	Quartz sand, rounded, washed and dried
Primary backing weight:	223 g/m <sup>2</sup> (± 10%)	Particle size (range):	0,2 - 0,6 mm
Secondary backing weight:	600 g/m <sup>2</sup> (± 10%)	Quantity:	10 kg/m <sup>2</sup>
Total weight (ISO 8543):	2.001 g/m <sup>2</sup> (± 10%)		



# MONDO SUPERCOURT XN



Recommended for:  
Indoor Type Turf

## Yarn Properties

Yarn name:	Supercourt XN
Linear density of yarn (average):	8.610 dtex ( $\pm 10\%$ )
Yarn Composition:	100% POLYETHYLENE
Yarn color:	Green, blue, Red
Filaments Type:	STX TEXT / XNOVA TEXT
Linear density of filaments:	1.720 / 1.150 dtex ( $\pm 10\%$ )
Thickness of filaments (FIFA method 25):	250 / 170 $\mu\text{m}$ ( $\pm 10\%$ )
Structure of filaments:	curly monofilament / curly monofilament
Number of filaments:	3 / 3

## Carpet Properties


Pile height (ISO 2549):	10 mm ( $\pm 5\%$ )
Stitch rate (ISO 1763):	22 tufts/dm
Tuft density (ISO 1763):	46.200 tufts/m <sup>2</sup> ( $\pm 10\%$ )
Tuft density:	554.400/m <sup>2</sup>
Tufting pattern:	Linear tufting
Gauge:	3/16"
Primary backing construction:	double layer of polypropylene
Secondary backing composition:	Polyurethane (PU)
Water Permeability (EN 12616):	500 mm/h (outdoor courts only)
Maximum roll size:	25 x 4 m

## Carpet weight

Pile weight (ISO 8543):	1.393 g/m <sup>2</sup> ( $\pm 10\%$ )
Primary backing weight:	223 g/m <sup>2</sup> ( $\pm 10\%$ )
Secondary backing weight:	600 g/m <sup>2</sup> ( $\pm 10\%$ )
Total weight (ISO 8543):	2.216 g/m <sup>2</sup> ( $\pm 10\%$ )

## Infill properties

Stabilizing Infill:	Quartz sand, rounded, washed and dried
Particle size (range):	0,2 - 0,6 mm
Quantity:	10 kg/m <sup>2</sup>



# FLAGSHIP COMMERCIAL PROJECTS 2025

From business parks to golf clubs, D-PCI is delivering Ireland's next generation of padel facilities



**East  
POINT**  
BUSINESS PARK DUBLIN 3

 **Lioncor**  
Blackrock, Co. Dublin

 **PADEL**  
AT FITZPATRICKS  
ESTD 2023

 **MONAMI**  
CONSTRUCTION



## UPCOMING PROJECTS

**Launching  
January 2026**

Indoor & covered padel centres in partnership with leading clubs



**TERMONFECKIN**  
2 COURTS - COVERED



**WEST WOOD**  
C · L · U · B DUBLIN 18



# Padel Indoors

Dolan PCI is pleased to announce our partnership with the renowned Norwegian company **Hallgruppen**, which has a strong presence across Germany, Sweden, the UK, and Ireland. Known for their innovative solutions, Hallgruppen's in-house engineering team excels in creating top-tier Padel covers.

Their Padel sporting structures are crafted with a self-supporting steel design, promising durability for up to **50 years** and the resilience to withstand the Irish climate. These insulated structures ensure comfort year-round, keeping you warm in winter and cool in summer.

Hallgruppen's designs are CE approved and meet all required load-bearing construction standards. Each structure's fabric is custom-fitted to the hall's dimensions and any access passageways. The steel frame is expertly engineered to handle the unique geographical challenges of Ireland, including snow, wind, and varied terrain.

**The ultimate indoor Padel experience**, built to last and designed for Ireland.

Our first build will be south west Dublin  
November 2024



# DOLAN PADEL PLUS +

## Marketing Support for Your Club

Our key differentiator: Dolan PCI goes beyond supplying courts; we are committed to supporting you in marketing and establishing a successful padel club. Our services include:

- **Dedicated Marketing Support:** We agree a number of weeks of marketing support to attract members and build footfall to your club.
- **Free Coaching:** Benefit from complimentary coaching sessions to introduce your staff to padel.
- **Official Opening Day:** Dolan PCI can liaise with the PFI (Irish Padel Federation) in arranging an official Opening Day, exhibition matches with Ireland best players. We can connect you with our database of coaches seeking full-time and part-time positions in Ireland.

## Groundworks

Dolan PCI provide groundworks via our close partner DM Morris leaders in asphalt contractors and civil engineering. Each padel court site must be evaluated on an individual basis with consideration for logistics (site location, movement of materials on and off site, ground conditions, presence of existing services etc).



# Merchandise & Accessories

Our Padel Plus + can set you up with wholesale suppliers for padel merchandise including rackets, balls, and coming soon Vending Machines where players can hire rackets and purchase balls.



## PADMAX VX2

Once your courts are completed, you should carry out weekly maintenance on the surface partly to maintain a good playing experience for users and to optimize the lifespan of the courts

**SAVE MY PLAY CAMERA**  
AI-powered sports camera system



## PADEL RACKET VENDING MACHINES

Vending Machines - Padel Rackets for Hire and for Sale



# MANUFACTURING

FAQS

Our courts are ready in 4 weeks

At our manufacturing facility located in Crevillente, Spain, we comprehensively carry out all production processes. Order processing begins from the conceptual stage, with a lead time of 4 weeks, ensuring strict compliance with both national and international certifications.


Our commitment to quality is reflected in the exclusive use of galvanized steel for the construction of all our structures. Additionally, we apply an epoxy paint coating to enhance durability and resistance to adverse conditions. For even more comprehensive protection, we offer the option of priming the structures, strengthening their resistance and extending their lifespan.

## CERTIFICATIONS

Our courts have the Certificate of conformity of factory production control ES24/00000034. In compliance with UNE-EN 1090-1: 2011+A1:2012

As well we comply with the ISO 14001, demonstrating that we carry out our production in terms of environmental matters by promoting the protection of the natural environment and the prevention of pollution.

An ISO 9001 QMS documents the processes, procedures, and responsibilities for achieving quality policies and objectives. Based on seven quality management principles, the ISO 9001:2015 standard defines the way an organization operates to meet the requirements of its customers and stakeholders



# Commitment to Quality & Standards

**Certificado ES24/00000035**

El sistema de gestión de

**MEJORSET TRACKS SPORT, S.L.**

Polygon Industrial 14, nº 20, 03330 Crevillente, Alicante

ha sido evaluado y certificado que cumple con los requisitos de

**ISO 9001:2015**

Para las siguientes actividades

Diseño, Fabricación de estructuras metálicas e instalación de pistas de pádel.



Este certificado es válido desde 10 de enero de 2024 hasta 10 de enero de 2027 y su validez está sujeta al resultado satisfactorio de las auditorías de seguimiento.

Edición 1. Certificada desde 10 de enero de 2024.

Autorizado por

Director de Certificación

SGS International Certification Services Ibérica, S.A.U.

C/Impresiones, 26, 28042 Madrid, España

+34 91 313 8115 - [www.sgs.com](http://www.sgs.com)

Este documento es un certificado electrónico válido para el uso comercial del cliente únicamente. Esta es la versión impresa del certificado electrónico y no contiene datos de firma electrónica ni datos de validación. El certificado electrónico es el documento que tiene validez legal. Se pone de manifiesto la responsabilidad de la entidad certificadora de la información que contiene. Este documento es una impresión de este proyecto de acuerdo con la legislación y las normas de la Unión Europea. Identificación y validación no se extiende a su contenido o información en la página.

Document 1.1



## Certificado ES24/00000036

El sistema de gestión de

# MEJORSET TRACKS SPORT, S.L.

Polygono Industrial 14, nº 20, 03330 Crevillente, Alicante

ha sido evaluado y certificado que cumple con los requisitos de

### ISO 14001:2015

Para las siguientes actividades

Diseño, Fabricación de estructuras metálicas e instalación de pistas de pádel.

Este certificado es válido desde 10 de enero de 2024 hasta 10 de enero de 2027 y su validez está sujeta al resultado satisfactorio de las auditorías de seguimiento.

Edición 1, Certificada desde 10 de enero de 2024.

Aprobado por  
Directivo de Certificación

SGS International Certification Services Iberia, S.A.U.  
C/Respaldo, 29.28042 Madrid, España  
+34 91 313 8115 - [www.sgs.com](http://www.sgs.com)

Este documento es un certificado electrónico auténtico para el uso comercial del cliente (firmas). Esto permite la verificación remota del certificado electrónico y su consistencia con el documento original. El certificado es válido para el uso de acuerdo con las normas y procedimientos establecidos por la entidad de certificación que lo emitió (SGS). Se pone especial énfasis sobre la cláusula de limitación de responsabilidad, interrupción y cancelación en su contenido. Este documento no protege contra la falsificación de datos y conclusiones de la evaluación realizada de su contenido y aparece en <http://sgs.it>.

Práctica 1

# D-PCP DOLAN

PADEL COURTS PORTUGAL

[www.padelcourtsportugal.com](http://www.padelcourtsportugal.com)

yvonne@padelcourtsportugal.com

+353 86 071 6758



"We strive to make business easy, dynamic,  
and extremely understandable, just like in padel".

